




con la fotocamera del tuo smartphone inquadra e digita questo QRcode per consultare il listino prezzi al pubblico






BE-M CE

230 V - 50 Hz a.c.



COMMUTATORE
 ROCKER SWITCH
 ININTERRUPTOR PULSADOR
 DRUCKKNOPFSCHALTER




Codice RVM

Codice	Codice originale	L / h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.
BE M 20	300000 CE	1700	20	0.5	25	2850	230x120h190	5
BE M 25	540000 CE	2500	25	0.8	25	2850	230x120h190	6
BE M 30	965000 CE	4500	30	1.0	20	2800	255x160h190	8
BE M 35	961000 CE	4500	35	1.0	20	2800	255x160h190	8
BE M 40	110000 CE	5100	40	1.0	15	1450	320x150h210	11



BRONZO - BRONZE - BRONCE
"Traditional and powerful, the classic never ends"




BE-M IMQ

230 V - 50 Hz a.c.




COMMUTATORE
 ROCKER SWITCH
 ININTERRUPTOR PULSADOR
 DRUCKKNOPFSCHALTER



Codice **RVM R**

Code	Model	L/h	∅D mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.
300000 IMQ	BE-M 20	1700	20	0.5	340	25	2850	230x120h190	5
260000 IMQ	BE-M 25	2400	25	0.6	420	12	1450	250x120h190	6
030000 IMQ	BE-M 30	5000	30	1.0	650	15	1450	310x150h210	10
110000 IMQ	BE-M 40	6500	40	1.2	800	15	1450	320x150h210	11
270000 IMQ	BE-M 50	15000	50	3.0	2100	25	1450	400x170h240	22



NOVAX 20 B

"The BEST choice of Home Brewers"



Beer



Milk



COMMUTATORE
ROCKER SWITCH
IN INTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



Industry

max
95°C



SHUCKO 16A


Utilizzabile anche per:
Mosto di Malto caldo
e altre bevande calde



Service



NOVAX 20 B




Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.
964000	NOVAX 20 B	1700	20	0.5	340	25	2850	230x120h190	5

Codice RVM R




BRONZO - BRONZE - BRONCE
 "Viscosity? Not a problem"

BE-G



BE-G 20



Standard: INOX gears
 Optional: PTFE gears




MARINA G 20



Accessorio - Aftermarket
 CAVO CON PINZE E FUSIBILI
 CABLE WITH PLIERS
 AND FUSES

code 870035



By-Pass Automatico BE-G
 BE-G Automatic By-Pass

code 985035





Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.
979000	BE-G 20 HP 0.8	1750	20	0.8	24	2850	230x120h190	7
978000	MARINA 12V - G 20	1450	20	0.6	20	2750	250x120h150	7

Codice RVM R

NOVAX-M

"A friendly technology"




Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.
790000	NOVAX 20 M	1700	20	0.5	340	25	2850	230x120h190	5
780000	NOVAX 25 M	2400	25	0.6	420	12	1450	250x120h190	6
770000	NOVAX 30 M	5000	30	1.0	650	15	1450	310x150h210	10
750000	NOVAX 40 M	6500	40	1.2	800	15	1450	320x150h210	11
740000	NOVAX 50 M	15000	50	3	2100	25	1450	400x170h240	22

Codice RVM R



"Always ready to satisfy"





NOVAX-T

400 V - 50 Hz a.c.




**INOSSIDABILE
INOXDABLE**



Code	Model	L/h	Ø D mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
280000	NOVAX 25 T	2400	25	0.6	540	12	1450	230x120h190	6	8032706070492
320000	NOVAX 30 T	5000	30	1.0	720	15	1450	300x150h210	10	8032706070508

Codice RVM R



NOVAX-OIL

230 V - 50 Hz a.c.



INOSSIDABILE



NOVAX 10 Oil



NOVAX 14 Oil


COMMUTATORE
ROCKER SWITCH
IN INTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



NOVAX 25 Oil




NOVAX 30 Oil



Code	Model	L / h (olive oil - water)	ØD mm	HP	Hmax(m)	r.p.m.	A X B x H	Kg.
4200	NOVAX 10 OIL	300 - 420	10	0.4	10	2850	210x120h190	4
800000	NOVAX 14 OIL	600 - 900	14	0.6	10	1450	230x120h190	5
998000	NOVAX 25 OIL	1800 - 2500	25	0.9	12	1450	250x120h190	8
640000	NOVAX 30 OIL	3000 - 5000	30	1.2	15	1450	310x150h210	11


Codice RVM R



DRILL




DRILL 14




DRILL 20



DRILL 25



Code	Model	L/h	ØD mm	Hmax(m)	r.p.m. MAX.	A x B x H	Kg.
290000	DRILL 14	1400	14	24	2850	70x100h120	1.5
330000	DRILL 20	1500	20	24	2850	70x100h120	1.5
340000	DRILL 25	2500	25	24	2850	80x100h120	2




MARINA 20



MARINA 25




MARINA 30




Code	Model	L / h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.
250000	MARINA 20-12V	2000	20	0.5	24	2850	230x120h190	6
230000	MARINA 20-24V	2000	20	0.5	24	2850	230x120h190	6
100000	MARINA 25-12V	3000	25	0.6	24	2850	230x120h190	7
130000	MARINA 25-24V	3000	25	0.6	24	2850	230x120h190	7
957000	MARINA 30-12V	5000	30	1	24	2850	270x120h190	8


MARINA NOVAX




**MARINA
NOVAX 20**



**MARINA
NOVAX 25**




**MARINA
NOVAX 25**



Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.
810000	MARINA NOVAX 20-12V	2000	20	0.5	24	2850	230x120h190	6
820000	MARINA NOVAX 20-24V	2000	20	0.5	24	2850	230x120h190	6
830000	MARINA NOVAX 25-12V	3000	25	0.6	24	2850	230x120h190	7
840000	MARINA NOVAX 25-24V	3000	25	0.6	24	2850	230x120h190	7
955000	MARINA NOVAX 30-12V	5000	30	1	24	2850	270x120h190	8



FILTRO PRESSA AUTOMATICO A STRATI FILTRANTI
 PER VINO, SUCCHI, INFUSI, SPREMUTE, BIRRA
 AUTOMATIC PRESS FILTER - WITH FILTER PADS
 FOR WINE, BEER, JUICE



COLOMBO® Classic



original accessories



original accessories




Code	Model	L/h	V.a.c.	W	HP	AxBxH	Kg.
490000	COLOMBO® 6	200 - 300	230 - 50 Hz	340	0.5	400x270h280	15
570000	COLOMBO® 12	350 - 500	230 - 50 Hz	340	0.5	430x270h280	16
580000	COLOMBO® 18	550 - 800	230 - 50 Hz	340	0.5	450x270h280	17

Codice RVM R



FILTRO PRESSA AUTOMATICO A STRATI FILTRANTI
 PER VINO, SUCCHI, INFUSI, SPREMUTE, BIRRA
 AUTOMATIC PRESS FILTER - WITH FILTER PADS
 FOR WINE, BEER, JUICE

COLOMBO® Inox




Code	Mode	L/h	V.a.c.	HP	AxBxH	Kg.
610000	COLOMBO® 6 Inox	200 - 300	230 - 50 Hz	0.5	400x270x280	15
620000	COLOMBO® 12 Inox	350 - 500	230 - 50 Hz	0.5	430x270x280	16
630000	COLOMBO® 18 Inox	550 - 800	230 - 50 Hz	0.5	450x270x280	17

Codice RVM R

COLOMBO® 18 OIL

COLOMBO® 36-36 OIL




FILTRO PRESSA AUTOMATICO A STRATI
FILTRANTI PER VINO, SUCCHI, INFUSI,
SPREMUTE, BIRRA, OLIO.

**AUTOMATIC PRESS FILTER - WITH FILTER
PADS FOR WINE, BEER, JUICE, OIL.**

Code	Model	L/h	V.a.c.	Watt	HP	A x B x H	Kg.
985000	COLOMBO® 18 Oil	200 - 300	230 - 50 Hz	650	0.9	450x270h280	19
988000	COLOMBO® 36	1000 - 1550	230 - 50 Hz	550	0.8	1000x270h800	35
983000	COLOMBO® 36 Oil	550 - 800	230 - 50 Hz	450	0.6	1000x270h800	35

PULCINO 10

PULCINO 10 Oil



**FILTRO PRESSA AUTOMATICO A STRATI
FILTRANTI PER VINO, SUCCHI, INFUSI,
SPREMUTE, OLIO ALIMENTARE**

**AUTOMATIC PRESS FILTER - WITH FILTER
PADS FOR WINE, JUICE, FOOD OIL**

Code	Model	L/h	V.a.c.	Watt	HP	L x l x h	Kg.
0400	PULCINO 10	120 - 160	230 - 50 Hz	340	0.5	400x270h250	12
0300	PULCINO 10 Oil	100 - 150	230 - 50 Hz	340	0.5	400x270h250	12



STRATI FILTRANTI



← cm 20 →

Code	Modello - Model	Micron μm	pcs
004212	Strato filtrante 20 x 20 - ROVER 00 Oil	45	18 pcs
004210	Strato filtrante 20 x 20 - ROVER 0	25	25 pcs
004203	Strato filtrante 20 x 20 - ROVER 4	10	25 pcs
004204	Strato filtrante 20 x 20 - ROVER 8	3	25 pcs
004208	Strato filtrante 20 x 20 - ROVER 12	1,5	25 pcs
004205	Strato filtrante 20 x 20 - ROVER 16	0,9	25 pcs
004206	Strato filtrante 20 x 20 - ROVER 20	0,7	25 pcs
004207	Strato filtrante 20 x 20 - ROVER 24	0,25	25 pcs

Codice RVM R


ATTENZIONE: prezzo per singolo strato filtrante



ROVER POMPE 0 - 4 / 00 - 8 - 12
Sgrossatura / Finitura




ROVER POMPE 16 - 20 - 24
Brillantatura





STRATI FILTRANTI FORATI



Code	Modello - Model	Micron μm
1300	Strato filtrante 20 x 10 ROVER 00 Oil	45
0500	Strato filtrante 20 x 10 - ROVER 4	10
1200	Strato filtrante 20 x 10 - ROVER 8	3
0600	Strato filtrante 20 x 10 - ROVER 16	0,9
0700	Strato filtrante 20 x 10 - ROVER 20	0,7

Codice **RVM R**


Super	24
High Quality	20
Quality	16
Very Good	12
Good	8
Medium	4
Normal	0



ROVER POMPE 0 - 4 / 00 - 8 - 12
 Sgrossatura / Finitura




ROVER POMPE 16 - 20 - 24
 Brillantatura



ATTENZIONE:
 prezzo per confezione in Kit da 10 strati filtranti cad.

DISPENSER



DISPENSER MULTIPURPOSE

Code	Dispenser	L / h	V a.c.	HP	AxBxH	Kg.
350000	BE-M 20	1700	230 - 50 Hz	0.5	350x200h500	16
380000	BE-M 25	2700	230 - 50 Hz	0.6	350x200h500	17
020000	BE-M 30	5000	230 - 50 Hz	1.0	350x200h500	21

PISTOLE E RACCORDI

PISTOLA



Code	Model	Ø mm
003802	PISTOLA TRAVASO STANDARD - Manual nozzle mm 25	24,50
003804	PISTOLA ALIMENTI - Food stuff nozzle mm 20	24,50
003806	PISTOLA ALIMENTI - Food stuff nozzle mm 25	24,50
003803	PISTOLA ALLUMINIO MANUALE - Manual metal nozzle mm 20	25,00
003807	PISTOLA ALLUMINIO MANUALE - Manual metal nozzle mm 25	25,00
003805	PISTOLA AUTOMATICA - Automatik nozzle - 3/4" GAS - 60L	24,50

Codice RVM R



ACCESSORI VENDUTI SEPARATAMENTE PER PISTOLA AUTOMATICA

RACCORDO GIREVOLE PER PISTOLA AUTOMATICA:



code 991011
PISTOLA - Nozzle 110L



code 991007
PISTOLA - Nozzle 60L

Codice RVM R

CONTALITRI



CONTALITRI PER VINO WINE COUNTER

VINO

1" GAS - code 003702
contalibri per
vino e bevande
wine & drink counter
Q = 20 - 120 L/min
Pmax = 3 Bar (0.3 mPa)



CONTALITRI PER GASOLIO DIESEL COUNTER

DIESEL

1" GAS - code 003701
contalibri per gasolio
diesel fuel counter
Q = 20 - 120 L/min.
Pmax = 3 Bar (0.3 mPa)

Code	Model
003701	CONTA LITRI – LITER COUNTER "DIESEL 1" GAS"
003702	CONTA LITRI – LITER COUNTER "VINO 1" GAS"



ACCESSORI

Staffa Antiribaltamento Stabilizer Base




BE-M 10,14,20,25,30,35,40
 NOVAX 10,14,20,25,30,35
 ROVER CE 20,25,30,35,40
 BE-T 25,30,35,40
 By-Pass., IP55., Marina., Novax Oil.

Code	Model
190000	CARRELO PER TUTTI I MODELLI DI ELETTROPOMPE TROLLEY AVAILABLE FOR ALL MODELS OF ELECTRIC PUMPS

Codice RVM R


RICAMBI ROVER

PIASTRA FILTRO SENZA FORO



Code	Modello - Model
490024-A	COLOMBO 6, 12, 18, 36 – 20 x 20 COLOMBO INOX 6,12,18, 36 – 20 x 20 COLOMBO 18 OIL, 36 OIL – 20 X 20
0354	PULCINO 10 – 20x10 Pulcino 10 OIL – 20 x 10

PIASTRA FILTRO CON FORO



Code	Modello - Model
490024-C	COLOMBO 6,12,18, 36 – 20 x 20 COLOMBO INOX 6,12,18, 36 – 20 x 20 COLOMBO 18 OIL, 36 OIL – 20 x 20
0356	PULCINO 10 – 20 x 10 PULCINO 10 OIL – 20 x 10

PIASTRA FILTRO IN PP



Code	Modello - Model
490024	COLOMBO 6,12,18, 36 – 20 x 20 COLOMBO INOX 6,12,18, 36 – 20 x 20 Colombo 18 OIL, 36 OIL – 20 x 20
0355	PULCINO 10 – 20 x 10 PULCINO 10 OIKL – 20 x 10

**Tutti i ricambi Rover
sono disponibili su ordinazione**